GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA & UD Dept. – Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer, Mangalagiri Municipality - Allegations of irregularities on misappropriation of funds in execution of works in Mangalagiri Municipality, Guntur District – Disciplinary proceedings instituted under Rule-20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Inquiry Conducted – Charges not proved - Further action Dropped– Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II) DEPARTMENT

G.O.Rt.No.676 **Dated:08.09.2022**

Read the following:

1. From the D.G., G.A. (V&E) Department, Vigilance Report No.59 (C.No.624/V&E/E1/09), dated.06.09.2011.
2. G.O.Rt.No.586, MA&UD (E1) Department, dated.27.04.2012.
3. G.O.Rt.No.1170, MA&UD (Vig.II) Department, dated.21.12.2018.
4. Enquiry Report from Sri N.Srinivasulu, Superintending Engineer & Enquiry Officer, PH Circle, Guntur, Letter No. 1725M/Con/Estt/EC3/ 2020, dt.26.02.2020.
5. Govt.Memo.No.27175/Vig.II/2011, Dated.04.03.2022.
6. From the ENC(Ph), A.P., Tadepalli., Lr.No.33/Mangalagiri /Vig.II/ CS2/2012, dated.13.05.2022.

***

ORDER:-

Whereas, it has been brought to the notice of the Government by the Director General, G.A. (V&E) Department that certain allegations were leveled against Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer and other officials of Mangalagiri Municipality regarding irregularities on misappropriation of funds in execution of works in Mangalagiri Municipality, Guntur District and recommended to initiate disciplinary action against Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer and other officials of Mangalagiri Municipality.

2. Whereas, in the reference 2nd read above, Government initiated departmental proceedings by issuing articles of charges against Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer among other officials of Mangalagiri Municipality, under Rule-20 of A.P.C.S. (CC&A) Rules, 1991.

3. Whereas, in the reference 3rd read above, Government appointed Sri N.Srinivasulu, Superintending Engineer, PH Circle, Guntur, as an Inquiry Officer to enquire into the charges framed against the charged officers. In the reference 4th read above, the Inquiry Officer submitted his report to Government, and stated that all charges framed against Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer, Mangalagiri Municipality are held not proved.

4. Government after examination of the enquiry report, have accepted the findings of the Inquiry Authority in respect of Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer, Mangalagiri Municipality and in the reference 5th read above, a copy of the same was communicated to the Charged Officer., under Rule-21(2) of A.P.C.S., (CC&A) Rules, 1991, for offering his written representation, if any, on the findings of the Inquiry Authority.

(P.T.O)

5. The Engineer-in-Chief (Public Health), A.P., Tadepalli in the reference 6th read above, forwarded the written representation of Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer, Mangalagiri Municipality. The Charged officer in his written representation has accepted the findings of the enquiry report and requested to drop further action against him.

6. Government after careful examination of the matter; keeping in view the findings of the I.A. and Written representation of the charged officer, have decided to drop further action against Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer, Mangalagiri Municipality, as all charges are held not proved against him during the inquiry.

7. Accordingly, Government hereby drop further action against Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer, Mangalagiri Municipality, since all charges are held not proved against him.

8. The Engineer-in-Chief (PH), A.P., Guntur, shall take further necessary action in the matter accordingly.

9. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y. SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (PH), A.P., Tadepalli.
Sri C.V. Nagendra Kumar, the then Municipal Assistant Engineer,
Mangalagiri Municipality - **through** the ENC (PH), A.P., Tadepalli.

Copy to:
The GA (V&E) Department, Vijayawada.
The Vigilance Commissioner, APVC, 5th block, A.P. Secretariat.
SF/SC.

//FORWARDED BY ORDER//

SECTION OFFICER.